

VBYT-31

Intel Bay Trail Processors based Fanless
Embedded Mini PC with 6LAN



Features

- CPU: Intel Bay Trail Processors
- Memory: 1x SO-DIMM DDR3L up to 8GB
- Display via: Intel HD Graphics display via VGA
- I/O Ports: 6xLAN, 1x COM, 4xUSB2.0.
- Ethernet: 10/100/1000Mbps
- Storage: SATA, mSATA
- Power: 12V DC-in/9-36V Optional



IoT Solutions
Alliance

**Industrial Solution
Builders Specialist**

Maxtang[®]

MAXIMIZING YOUR COMPUTING PRODUCTIVITY

Introduction

The VBYT-31 is a small form factor embedded fanless PC based on the Intel® Bay Trail platform. Single-channel SO-DIMM DDR3L up to 8GB to add higher bandwidth and lower latencies for processes, display via VGA. A rich i/o interface includes 6xLAN, 1xCOM and 4xUSB2.0 meets most market's requirements. It provides an excellent customer experience, a long-lasting life expectancy for future development.

Based on a small form factor, as its name states, it is great for space-saving. It has one mini-PCIe for WiFi, one SIM card slot for expansion, and a desktop ready for easy installation. Fanless construction not only overcomes noise challenges but also can be a great fit for various applications.



H/W Monitor



Watchdog





GPIO



Brightness

I/O Interfaces




Technical Specifications

Processor	CPU	J1800	J1900
	Core Frequency	2.41 GHz	2.0 GHz
	Max Turbo Frequency	2.58 GHz	2.42 GHz
	Cache	1MB	2MB
Memory	Type	1x SO-DIMM DDR3L	
	Max. Capacity	8 GB	
Display	GPU	Intel HD Graphics based on CPU	
	Display via	VGA	
Ethernet	Speed	10/100/1000 Mbps	
	Controller	Intel i211	
	Interface	RJ45	
	Wake on LAN	Yes	
Audio	Audio Codec	Realtek HD	
	Interface	1xLine-out+1xMic-in	
Storage	SATA	1	
	mSATA	1	
Expansion	mini-PCIe	1x mini-PCIe for WiFi	
	SIM Card Slot	1x Micro SIM Card Slot Internal	
I/O	LAN	6	
	COM	1x RS232	
	USB2.0	4	
	VGA	1	
	Audio	1 (Mic-in+Line-out in One)	
	Dimension	Size	190mm x 150mm x 29mm
Weight	N.W.	860g	
Power	Standard Port	12V DC-in / 9-36V Optional	
Temperature	Operating Temp.	- 20°C to 60°C	
	Storage Temp.	- 20°C to 80°C	
Cooling Method		Passive	
Operating System		Windows 7/8/10, Linux	

* All specifications and photos are subject to change without notice.

Dimension (in mm)



Copyright © 2018 Maxtang Technology Co. Ltd. All rights reserved. All data is for information purposes only and not guaranteed for legal purposes. Information has been carefully checked and is believed to be accurate however, no responsibility is assumed for inaccuracies. Maxtang and the Maxtang logo and all other trademarks or registered trademarks are the property of their respective owners and are recognized.